

RLS  
RAIMONDI LEVELLING SYSTEM  
LEVELLING SPACERS

BEFORE



AFTER



EASY TO REMOVE



# R.L.S. KIT – R.L.S TRACTION-ADJUSTABLE-PLIERS



R.L.S. KIT




231



231RIV

## PACKAGE



## RAIMONDI LEVELLING SYSTEM: PERFECT LEVEL

A correct setting requires the perfect levelling of the tiles.

Very often it is hard to properly set flexible and low thickness tiles as well as big sized and heavy tiles because of the uneven floor foundation.

As a result, tiles which seemed perfectly levelled while installing them, once the adhesive set, they show differences in level that compromise the final result.

This problem can be avoided using the levelling spacers which preserve the perfect levelling of the tiles and, also, they speed up the setting.

So, the levelling spacers make the setting easy, fast and tiles will be perfectly levelled.

Minimum required joint: 1,5 mm (1/16").

Tile thickness: min 3 mm (1/8"), max 20 mm (3/4").

## HOW TO USE

### How to set the support:

1. After having spread the adhesive, insert the clip (base/support) underneath the tiles and along the 4 sides.
2. According with tiles size, set one or more clips on every side of the tile.
3. Set the tile and beat it with a rubber mallet.

### How to insert the wedge:

1. Insert the wedge in the clip (base) slot paying attention not to pass the breakpoint.

2. To facilitate this operation, the use of the special traction-adjustable-pliers is recommended.

### How to remove the support:


Once the adhesive is set, the protruding part of the support, has to be removed by separating it from the clip/base. This can be done with a rubber mallet or even with feet. Beat parallel to the joint.

## R.L.S. KIT

Part No.			Description				
<b>180KIT100</b>	8024648067951	4	R.L.S. Floor kit - consisting of: 1 pliers for floor covering; 100 wedges; 100 clips for tile of thickness from 3 to 12 mm (1/8" - 1/2")	51x51xh36 cm	20"x20"xh 14 1/8"	8,6 Kg	19 lbs
<b>180KIT100RIV</b>	8024648065209	4	R.L.S. Wall kit - consisting of: 1 pliers for wall covering; 100 wedges; 100 clips for tile of thickness from 3 to 12 mm (1/8" - 1/2")	51x51xh36 cm	20"x20"xh 14 1/8"	8,6 Kg	19 lbs

## R.L.S. TRACTION-ADJUSTABLE-PLIERS

Part No.			Description				
<b>231</b>	8024648067364	1	RLS Adjustable pliers for floor covering	27x15xh10 cm	10 5/8"x6"xh 4"	0,5 Kg	1.1 lbs
<b>231RIV</b>	8024648012005	1	RLS Adjustable pliers for wall covering	27x15xh10 cm	10 5/8"x6"xh 4"	0,6 Kg	1.3 lbs





180CUNEO



180BASE



180BAH20



PACKAGE



CARTON BOX

## R.L.S. WEDGE (suitable for both clips/supports)

Part No.	Barcode	Carton	Description	Dimensions	Weight	Volume
180CUNEO100	8024648067944	12	RLS Wedge - 100 pieces bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	11,7 Kg 25.8 lbs
180CUNEO250	8024648011947	6	RLS Wedge - 250 pieces bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	11,7 Kg 25.8 lbs
180CUNEO500	8024648011954	3	RLS Wedge - 500 pieces bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	11,7 Kg 25.8 lbs
180CUNEO1000	8024648069818	1	RLS Wedge - 1000 pieces bag	45x30xh45 cm	17"x11"xh 17"	7,4 Kg 16.3 lbs

## R.L.S. CLIP/SUPPORT FOR TILE THICKNESS FROM 3 mm UP TO 12 mm (1/8" - 1/2") - minimum joint 1,5 mm (1/16")

Part No.	Barcode	Carton	Description	Dimensions	Weight	Volume
180BASE100	8024648067241	20	RLS clip/support for tile thickness from 3mm up to 12mm (1/8"-1/2")-100 pcs bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	9 Kg 19.8 lbs
180BASE250	8024648067937	8	RLS clip/support for tile thickness from 3mm up to 12mm (1/8"-1/2")-250 pcs bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	9 Kg 19.8 lbs
180BASE500	8024648067258	4	RLS clip/support for tile thickness from 3mm up to 12mm (1/8"-1/2")-500 pcs bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	9 Kg 19.8 lbs
180BASE2000	8024648069801	1	RLS clip/support for tile thickness from 3mm up to 12mm (1/8"-1/2")-2000 pcs bag	45x35xh60 cm	17"x13"xh 23"	8 Kg 17.6 lbs

## R.L.S. CLIP/SUPPORT FOR TILE THICKNESS FROM 12 mm UP TO 20 mm (1/2" - 3/4") - minimum joint 1,5 mm (1/16")

Part No.	Barcode	Carton	Description	Dimensions	Weight	Volume
180BA200H20	8024648069627	8	RLS clip/support for tile thickness from 12mm up to 20mm (1/2"-3/4")-200 pcs bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	9 Kg 19.8 lbs
180BA400H20	8024648070050	4	RLS clip/support for tile thickness from 12mm up to 20mm (1/2"-3/4")-400 pcs bag	58x29xh26 cm	23"x11 1/2"xh 10 1/4"	9 Kg 19.8 lbs
180BA1500H20	8024648064127	1	RLS clip/support for tile thickness from 12mm up to 20mm (1/2"-3/4")-1500 pcs bag	45x35xh 55 cm	17"x13"xh 21"	6,4 Kg 14 lbs



